



Brand Name	Bulletin Number
Husqvarna	B160010A
Jonsered	B160006A
Craftsman, McCulloch, Parton, Poulan Pro	B160003A

## **Service Bulletin**

**Date: Mar-2016**

**Brands: Husqvarna, Jonsered, Craftsman, McCulloch, Parton, Poulan Pro**

**Product: Dual Stage Snow Throwers, 200 series only**

**Dates Produced: June 1, 2014 to September 30, 2015**

### Warranty Reporting

Perform service/update through normal warranty process using only this information:

Action required: Service of unused units in your inventory is not required. Perform service/update through normal warranty process if a problem with the engine pulley occurs.

Component code: **816 – Pulley / Guide wheel**  
Defect code: **92 – Part exchanged on request by Husqvarna**

Warranty type: If problem occurs and unit has been sold to a customer, use:  
**1 – warranty**  
If problem occurs and unit has not been sold to customer, use:  
**04 – requested by factory**

Text: Reference Service Bulletin Number by Brand on Page 2.  
Time units: 4 units  
Affected market(s): US, Canada, Europe

### Description/Background:

We have received reports of the engine pulley bolt backing out of the engine crankshaft. The engine pulley could become loose or detached from the engine. Damage to the drive belt is possible if this occurs. This bulletin describes how to install a longer engine pulley bolt.

### Part Ordering Information:

Old engine pulley bolt part number: 532179617  
**New engine pulley bolt part number: 532191760\***

**\*Model ST 76EP (961910060) will also require washer 532851074 (see page 2).**

### Affected serial numbers:

All units produced between 6/1/2014 and 9/30/2015 are affected. The serial numbers include any from **060114MXXXXX** to **093015MXXXXX** for the affected models (see page 2).



Brand Name	Bulletin Number
Husqvarna	B160010A
Jonsered	B160006A
Craftsman, McCulloch, Parton, Poulan Pro	B160003A

**Affected Models:**

Brand Name	Model Number	Model Name	Market(s)	Reference SB #	New Bolt Part #
Craftsman	52442	524421	Canada	B160003A	532191760
Craftsman	52443	524432	Canada	B160003A	532191760
Craftsman	52444	524440	Canada	B160003A	532191760
Craftsman	52445	524450	Canada	B160003A	532191760
Husqvarna	961910087	ST 224	Europe	B160010A	532191760
Husqvarna	961910088	ST 227P	Europe	B160010A	532191760
Husqvarna	961910090	ST 230P	Europe	B160010A	532191760
Husqvarna	961930096	ST 224	US/Canada	B160010A	532191760
Husqvarna	961930097	ST 227P	US/Canada	B160010A	532191760
Husqvarna	961930101	ST 230P	US/Canada	B160010A	532191760
Husqvarna	961930122	ST 227P	US/Canada	B160010A	532191760
Jonsered	961910092	ST2368 EP	Europe	B160006A	532191760
Jonsered	961910093	ST2376 EP	Europe	B160006A	532191760
Jonsered	961910094	ST2361	Europe	B160006A	532191760
Jonsered	961920075	ST2361 EP	US/Canada	B160006A	532191760
Jonsered	961920076	ST2368 EP	US/Canada	B160006A	532191760
Jonsered	961920077	ST2376 EP	US/Canada	B160006A	532191760
McCulloch	961910060	ST 76EP	Europe	B160003A	532191760 with washer 532851074
McCulloch	961910062	ST 61	Europe	B160003A	532191760
McCulloch	961910063	ST 61E	Europe	B160003A	532191760
McCulloch	961910065	ST 68EP	Europe	B160003A	532191760
Parton	961920087	PA5524	US/Canada	B160003A	532191760
Parton	961920088	PA6527ES	US/Canada	B160003A	532191760
Poulan Pro	961920067	PR240	US/Canada	B160003A	532191760
Poulan Pro	961920068	PR270	US/Canada	B160003A	532191760
Poulan Pro	961920071	PR300	US/Canada	B160003A	532191760
Poulan Pro	961920073	PR271	US/Canada	B160003A	532191760
Poulan Pro	961920086	PR241	US/Canada	B160003A	532191760
Poulan Pro	961920090	PR270	US/Canada	B160003A	532191760
Poulan Pro	961920091	PR271	US/Canada	B160003A	532191760
Poulan Pro	961920092	PR241	US/Canada	B160003A	532191760
Poulan Pro	961920096	PR270A	US/Canada	B160003A	532191760
Poulan Pro	961920097	PR271A	US/Canada	B160003A	532191760
Poulan Pro	961940013	PR242	US/Canada	B160003A	532191760
Poulan Pro	961980064	PR242	US/Canada	B160003A	532191760

---

Brand Name	Bulletin Number
Husqvarna	B160010A
Jonsered	B160006A
Craftsman, McCulloch, Parton, Poulan Pro	B160003A

Tools required:

- 3/8" socket
- 9/16" socket
- Torque wrench, up to 30 Nm required.
- Flat blade screwdriver
- Permanent marker

Service Instructions:

1. Remove cable from clip with screwdriver.



2. Use 3/8" socket to remove (2) cover bolts, right and left side. Remove cover.



Brand Name	Bulletin Number
Husqvarna	B160010A
Jonsered	B160006A
Craftsman, McCulloch, Parton, Poulan Pro	B160003A

3. Remove engine pulley bolt and install new bolt. Also install washer if specified on page 2. Torque 40-55 ft-lbs to tighten bolt.




4. Install belt cover and attach cable with clip.



Brand Name	Bulletin Number
Husqvarna	B160010A
Jonsered	B160006A
Craftsman, McCulloch, Parton, Poulan Pro	B160003A

5. Tighten (2) cover bolts 4-6 ft-lbs (5-8 Nm), right and left side.



6. Using a permanent marker, write "16-03" in the upper right corner of the serial plate to indicate service is complete.



Serial Plate Before

Serial Plate After

Revision History:

RevA Mar-2016

Created Bulletin